



Article no.: M-2739

**Product data:**  
**Behälter 3.965 Liter aus V2A isoliert,  
temperierbar, gebraucht,  
Standing**

EUR 7.200,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 3.965 Liter aus V2A isoliert, temperierbar, gebraucht consists of the material 1.4541(AISI321). The volume is approx. 3,965 litres. The diameter inside includes 1600 mm.

Behälter 3.965 Liter aus V2A isoliert, temperierbar, gebraucht was last used in the following area: .

1 pieces of Behälter 3.965 Liter aus V2A isoliert, temperierbar, gebraucht is/are currently still available. Delivery can take place worldwide.

## Product description

## General

---

**Material in contact with product** 1.4541(AISI321)

**Volume approx.** 3,965 litres

**Structure** Standing

**DIN design** unknown

**Year of manufacture** 1992

**Manufacturer** Wilhelm Ecken

**Condition** Used

## Dimensions approx.

---

**Internal diameter** 1600 mm

**External diameter** 1720 mm

**Cyl. height** 1700 mm

**Foot height** 700 mm

**Total height** 3330 mm

## Design

---

**Weight approx.** 1000 kg

**Weight per unit volume approx.** 1000 kg/m<sup>3</sup>

**Insulation** No

**Insulated area** Shell and floor

**Insulation cladding** Fully welded stainless steel

**Interior surface** Smoothed

**Exterior surface** Smoothed

**Floor type** Torispherical bottom

**Head design** Torispherical bottom

**Product chamber operating over-pressure** 0,10 bar

## Equipment

---

**Temperature-controllable** No

**Temperature control area** Shell and floor area

**Operating temperature** 150 °C

Temperature control system operating  
pressure/pipe chamber 3,0 bar

Temperature control system operating  
temperature/pipe chamber 150 °C

## Agitator

---

**Agitator quantity** 1 (piece)

**Agitator position** Head central

**Note on agitator** ohne Rührwerksantrieb

## Supports

---

**Supports** Stainless steel feet

**Number of feet** 4 (piece)

## Fixtures and fittings

---

**Mannloch 1 Größe** 490 DN mm

**Manway position** In head

**Nozzles/connectors in head** 3xDN50 1xDN65 (piece)

**Outlet nozzle** 50/40

**Fixtures and fittings**

**Additional fixtures and fittings** Flow rectifier, Nameplate,

## Other notices

---

**Technical documentation** None

**Note** ohne Rührwerksantrieb

# Pictures









## Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)