



Article no.: M-2163

**Product data:**  
**Behälter 12.000 Liter aus V4A,  
gebraucht, einwandig,  
Standing**

EUR 6.800,00  
zzgl. 19 % MwSt. excl. shipping  
in stock: 1

Behälter 12.000 Liter aus V4A, gebraucht, einwandig consists of the material 1.4571(AISI316) V4A. The volume is approx. 12,000 litres.

Behälter 12.000 Liter aus V4A, gebraucht, einwandig was last used in the following area: Cosmetics.

1 pieces of Behälter 12.000 Liter aus V4A, gebraucht, einwandig is/are currently still available. Delivery can take place worldwide.

## Product description

## General

---

**Material in contact with product** 1.4571(AISI316) V4A

**Volume approx.** 12,000 litres

**Structure** Standing

**DIN design** unknown

**Year of manufacture** 2002

**Manufacturer** Schärf + Koch

**Condition** Used

## Dimensions approx.

---

**External diameter** 2120 mm

**Cyl. height** 3000 mm

**Foot height** 920 mm

**Total height** 4500 mm

## Design

---

**Weight approx.** 1000 kg

**Weight per unit volume approx.** 1000 kg/m<sup>3</sup>

**Insulation** No

**Interior surface** Smoothed

**Exterior surface** Smoothed

**Floor type** Torispherical bottom

**Head design** Torispherical bottom

**Product chamber operating pressure** Atmospheric/unpressurised

## Equipment

---

**Temperature-controllable** No

## Agitator

---

**Agitator** unavailable

## Supports

---

**Supports** Stainless steel feet  
**Number of feet** 4 (piece)

## Fixtures and fittings

---

**Manway position** In shell  
**Nozzles/connectors in shell** 1xDN80 (piece)  
**Nozzles/connectors in head** 1xDN100 1xDN80 1xDN65 (piece)  
**Outlet nozzle** 80  
**Fixtures and fittings**  
**Additional fixtures and fittings** Nameplate,


## Other notices

---

**Last usage** Cosmetics

# Pictures




**Edelstahl-Behälterbau  
Schärf & Koch GmbH  
06577 Heldrungen**

Herstellungs-Nr.  Baujahr   
 Werkstoff  Innen-  
 zul. Dichte des Lagergutes  t/m<sup>3</sup>  m

	Druckraum I	Druckraum II	Druckraum III
PRÜFDRUCK	2.0 BAR	-	-
zul. Betriebsdruck	0.0 bar	- bar	- bar
Betriebstemperatur	50.0 °C	- °C	- °C
Inhalt	12.0 m <sup>3</sup>	- m <sup>3</sup>	- m <sup>3</sup>

# Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)