



Article no.: M-2410

Product data:
Druckbehälter 930 Liter aus V4A,
temperierbar, isoliert,
Standing

EUR 4.200,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Druckbehälter 930 Liter aus V4A, temperierbar, isoliert consists of the material 1.4571(AISI316) V4A. The volume is approx. 930 litres. The diameter inside includes 1000 mm.

Druckbehälter 930 Liter aus V4A, temperierbar, isoliert was last used in the following area: Chemistry.

1 pieces of Druckbehälter 930 Liter aus V4A, temperierbar, isoliert is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4571(AISI316) V4A

Volume approx. 930 litres

Structure Standing

DIN design unknown

Year of manufacture 2004

Manufacturer Bader

Condition Used

Dimensions approx.

Internal diameter 1000 mm

External diameter 1200 mm

Cyl. height 900 mm

Total height 2700 mm

Wall thickness of product chamber head 12,00 mm

Wall thickness of product chamber shell 10,00 mm

Wall thickness of product chamber floor 8,00 mm

Design

Weight approx. 900 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Insulated area Complete

Insulation cladding Bolted steel

Insulating material Insulating wool

Floor type Torispherical bottom

Head design Torispherical bottom

Product chamber operating over-pressure 6,00 bar

Product chamber operating under-pressure -1 bar

Product chamber operating temperature 250,00 °C

Equipment

Temperature-controllable No

Temperature control area Shell and floor area

Temperature control system Double shell

Operating pressure 6,00 bar

Operating temperature 250 °C

Temperature control system operating pressure/pipe chamber 6 bar

Temperature control system operating temperature/pipe chamber 250 °C

Temperature control system/pipe chamber capacity 170 litres

Agitator

Agitator unavailable

Supports

Supports Stainless steel feet

Number of feet 4 (piece)

Fixtures and fittings

Mannloch 1 Größe 500 DN mm

Manway position In head

Nozzle connector Flange

Nozzles/connectors in head 3xDN50 2xDN80 2xDN100 (piece)

Outlet nozzle 50

Fixtures and fittings

Additional fixtures and fittings Nameplate,

Other notices


Technical documentation Designation

Technical documentation Pressure test certificate

Last usage Chemistry

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)