

Article no.: M-2426



Product data:
**Druckbehälter 50.000 Liter aus V4A
temperierbar, unisoliert,
Standing**

EUR 23.800,00
zzgl. 19 % MwSt. excl. shipping
in stock: 1
Location: 33442 Herzebrock

Druckbehälter 50.000 Liter aus V4A temperierbar, unisoliert consists of the material 1.4571(AISI316) V4A. The volume is approx. 50,000 litres. The diameter inside includes 3200 mm.

Druckbehälter 50.000 Liter aus V4A temperierbar, unisoliert was last used in the following area: Chemistry.

1 pieces of Druckbehälter 50.000 Liter aus V4A temperierbar, unisoliert is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4571(AISI316) V4A

Volume approx. 50,000 litres

Structure Standing

DIN design unknown

Year of manufacture 1975

Manufacturer WEB Weisstaler

Condition Used

Dimensions approx.

Internal diameter 3200 mm
External diameter 3380 mm
Cyl. height 5860 mm
Outlet height 650 mm
Total height 7200 mm
Wall thickness of product chamber head 9,00 mm
Wall thickness of product chamber shell 8,00 mm
Wall thickness of product chamber floor 10,00 mm

Design

Weight approx. 7000 kg
Weight per unit volume approx. 1000 kg/m³
Insulation No
Interior surface Smoothed
Exterior surface Matt
Floor type Torispherical bottom
Head design Torispherical bottom
Product chamber operating over-pressure 3,00 bar
Product chamber operating under-pressure -1 bar

Equipment

Temperature-controllable No
Temperature control area Shell and floor area
Temperature control system Half-pipe coils
Operating temperature 200 °C
Temperature control system operating pressure/pipe chamber 20 bar
Temperature control system operating temperature/pipe chamber 200 °C
Temperature control system/pipe chamber capacity 125 litres

Agitator

Agitator unavailable

Supports

Supports Steel feet
Number of feet 4 (piece)

Fixtures and fittings

Manway position In shell
Fixtures and fittings Lifting lugs
Additional fixtures and fittings Nameplate,

Other notices




Technical documentation Designation

Technical documentation Pressure test certificate

Note Weitere bauähnliche Behälter verfahren 1/4gbar

Last usage Chemistry

Pictures



Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)