



Article no.: M-2583

Product data:
**Behälter 2.500 Liter aus V4A einwandig,
gebraucht,
Standing**

EUR 6.200,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 2.500 Liter aus V4A einwandig, gebraucht consists of the material 1.4404(AISI316) V4A. The volume is approx. 2,500 litres.

Behälter 2.500 Liter aus V4A einwandig, gebraucht was last used in the following area: Foodstuffs.

1 pieces of Behälter 2.500 Liter aus V4A einwandig, gebraucht is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4404(AISI316) V4A

Volume approx. 2,500 litres

Structure Standing

DIN design unknown

Year of manufacture 2016

Manufacturer Bujalski Tetra Pak

Condition Used

Dimensions approx.

External diameter 1600 mm

Cyl. height 750 mm

Foot height 2600 mm

Outlet height 930 mm

Total height 4200 mm

Design

Weight approx. 750 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Interior surface Smoothed

Exterior surface Smoothed

Floor type Cone

Head design Conical bottom

Product chamber operating pressure Atmospheric/unpressurised

Equipment

Temperature-controllable No

Agitator

Agitator quantity 1 (piece)

Agitator position Head central
Agitator type Wall scraper
Agitator - Voltage 230/400 V
Agitator - Output 2,2 kW
Agitator - RPM 20 UpM

Supports

Supports Stainless steel feet
Number of feet 3 (piece)
Note on supports höhenverstellbar

Fixtures and fittings

Mannloch 1 Größe 430 DN mm
Manway position In head
Nozzles/connectors in shell 1xDN40 1xDN65 (piece)
Nozzles/connectors in floor 1xDN50 (piece)
Outlet nozzle 100
Cleaning/CIP nozzle in head
Fixtures and fittings Lifting lugs
Additional fixtures and fittings Nameplate,

Other notices

Technical documentation None
Note Haube für Entlüftung fehlt
Last usage Foodstuffs

Pictures





Tetra Pak
PROTECTS WHAT'S GOOD™

Hersteller	Bujalski	TETRA PAK
Baujahr	2016	2016
Artikel Nr.	160747	693T01
Netto Gewicht/Volumen	750 kg	2500 lt

	Behälter	Mantel
Auslegungsdruck (bar)	ATM	N/A
Auslegungsdruck für Vakuum (bar)	N/A	N/A
zul. Betriebsüberdruck (bar)	ATM	N/A
Prüfdruck (bar)	N/A	N/A
Nenninhalt (m ³)	2,5	N/A
i. Werkstoff	EN 1.4404	N/A
Behälter Bezeichnung	Concentrate permeat tank	

SICHERHEITSMASSNAHME!
Betriebsanleitung ist vor der Montage, Installation und vor der ersten Inbetriebnahme sorgfältig zu lesen!





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)