



Article no.: M-2136

**Product data:**  
**Behälter 1.650 Liter aus V2A**  
**temperierbar, isoliert,**  
**Standing**

EUR 6.500,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 1.650 Liter aus V2A temperierbar, isoliert consists of the material 1.4301(AISI304) V2A. The volume is approx. 1,650 litres. The diameter inside includes 1250 mm.

Behälter 1.650 Liter aus V2A temperierbar, isoliert was last used in the following area: Pharmaceuticals.

1 pieces of Behälter 1.650 Liter aus V2A temperierbar, isoliert is/are currently still available. Delivery can take

## Product description

### General

---

**Material in contact with product** 1.4301(AISI304) V2A

**Volume approx.** 1,650 litres

**Structure** Standing

**DIN design** unknown

**Year of manufacture** 1986

**Manufacturer** Johann Mohren KG

**Condition** Used

### Dimensions approx.

---

**Internal diameter** 1250 mm

**External diameter** 1400 mm

**Cyl. height** 1480 mm

**Foot height** 1020 mm

**Total height** 3500 mm

**Wall thickness of product chamber head** 5,00 mm

**Wall thickness of product chamber shell** 4,00 mm

**Wall thickness of product chamber floor** 4,00 mm

### Design

---

**Weight approx.** 700 kg

**Weight per unit volume approx.** 1000 kg/m<sup>3</sup>

**Insulation** No

**Insulated area** Shell and floor

**Insulation cladding** Fully welded stainless steel

**Interior surface** Smoothed

**Exterior surface** Smoothed

**Floor type** Flat bottom with slope towards outlet

**Head design** Flat bottom

**Product chamber operating pressure** Atmospheric/unpressurised

## Equipment

---

**Temperature-controllable** No

**Temperature control area** Shell and floor area

**Temperature control system** Half-pipe coils

**Operating temperature** 147 °C

**Heat exchanger surface** 4 m<sup>2</sup>

**Temperature control system operating pressure/pipe chamber** 4 bar

**Temperature control system operating temperature/pipe chamber** 147 °C

**Temperature control system/pipe chamber capacity** 103 litres

## Agitator

---

**Agitator quantity** 1 (piece)

**Agitator position** Head off-centre

**Agitator type** Dissolver

**Agitator - Voltage** 230/400 V

**Agitator - Output** 3 kW

**Agitator - RPM** 1400 UpM

## Supports

---

**Supports** Stainless steel feet

**Number of feet** 4 (piece)

## Fixtures and fittings

---

**Manway position** In head

**Outlet nozzle** 50

**Fixtures and fittings**

**Additional fixtures and fittings** Nameplate,


## Other notices

---



**Technical documentation** Designation



# Pictures







## Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industribedarf GmbH apply. [View here.](#)