



Article no.: M-2393

Product data:
Behälter 4.280 Liter aus V4A
temperierbar, isoliert,
Standing

EUR 6.800,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 4.280 Liter aus V4A temperierbar, isoliert consists of the material 1.4571(AISI316) V4A. The volume is approx. 4,280 litres. The diameter inside includes 1500 mm.

Behälter 4.280 Liter aus V4A temperierbar, isoliert was last used in the following area: Chemistry.

1 pieces of Behälter 4.280 Liter aus V4A temperierbar, isoliert is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4571(AISI316) V4A

Volume approx. 4,280 litres

Structure Standing

DIN design unknown

Year of manufacture 1993

Manufacturer Rudolf Rahau

Condition Used

Dimensions approx.

Internal diameter 1500 mm

External diameter 1600 mm

Cyl. height 2200 mm

Foot height 1550 mm

Total height 5200 mm

Wall thickness of product chamber head 11,50 mm

Wall thickness of product chamber shell 12,00 mm

Wall thickness of product chamber floor 11,50 mm

Design

Weight approx. 2000 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Interior surface Smoothed

Exterior surface Smoothed

Floor type Torispherical bottom

Head design Torispherical bottom

Product chamber operating pressure Atmospheric/unpressurised

Equipment

Temperature-controllable No

Temperature control area Shell and floor area

Temperature control system Double shell

Operating temperature 165 °C

Temperature control system operating pressure/pipe chamber 6 bar

Temperature control system operating temperature/pipe chamber 165 °C

Temperature control system/pipe chamber capacity 240 litres

Agitator

Agitator quantity 1 (piece)

Agitator position Head off-centre

Agitator type Propeller

Agitator manufacturer Ekato Eex-Ausführung

Agitator - Voltage 380 V

Agitator - Output 0,66 / 1,3 kW

Agitator - RPM 447 / 921 UpM

Supports

Supports Stainless steel feet

Number of feet 3 (piece)

Fixtures and fittings

Manway position In head

Outlet nozzle 65

Fixtures and fittings Lifting lugs

Additional fixtures and fittings Nameplate,

Other notices



Technical documentation Designation

Technical documentation Pressure test certificate

Last usage Chemistry

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)