

Article no.: M-2389

**Product data:**  
**Behälter 1.355 Liter aus V2A**  
**temperierbar, isoliert,**  
**Standing**



EUR 8.900,00  
zzgl. 19 % MwSt. excl. shipping  
in stock: 1  
Location: 33378 Rheda-Wiedenbrück

Behälter 1.355 Liter aus V2A temperierbar, isoliert consists of the material 1.4301(AISI304) V2A. The volume is approx. 1,355 litres. The diameter inside includes 1140 mm.

Behälter 1.355 Liter aus V2A temperierbar, isoliert was last used in the following area: Cosmetics.

1 pieces of Behälter 1.355 Liter aus V2A temperierbar, isoliert is/are currently still available. Delivery can take place worldwide.

## Product description

### General

---

**Material in contact with product** 1.4301(AISI304) V2A

**Volume approx.** 1,355 litres

**Structure** Standing

**DIN design** unknown

**Year of manufacture** 1991

**Manufacturer** Berents

**Condition** Used

## Dimensions approx.

---

**Internal diameter** 1140 mm  
**External diameter** 1600 mm  
**Cyl. height** 1150 mm  
**Foot height** 1250 mm  
**Total height** 3200 mm

## Design

---

**Weight approx.** 800 kg  
**Weight per unit volume approx.** 1000 kg/m<sup>3</sup>  
**Insulation** No  
**Insulated area** Shell and floor  
**Insulation cladding** Fully welded stainless steel  
**Interior surface** Smoothed  
**Exterior surface** Smoothed  
**Floor type** Torispherical bottom  
**Head design** Torispherical bottom  
**Product chamber operating under-pressure** -1 bar

## Equipment

---

**Temperature-controllable** No  
**Temperature control area** Shell and floor area  
**Operating temperature** 133 °C  
**Temperature control system operating pressure/pipe chamber** 4 bar  
**Temperature control system operating temperature/pipe chamber** 155 °C  
**Temperature control system/pipe chamber capacity** 60 litres

## Agitator

---

**Agitator quantity** 1 (piece)  
**Agitator position** Head off-centre  
**Agitator type** Propeller

**Agitator - Voltage** 380 V

**Agitator - RPM** 145-860 UpM

## Supports

---

**Supports** Stainless steel feet

**Number of feet** 3 (piece)

## Fixtures and fittings

---

**Manway position** In head

**Nozzle connector** Screw thread

**Nozzles/connectors in head** 2xDN80 1xDN100 (piece)

**Outlet nozzle** 50

**Cleaning/CIP nozzle** in head

**Fixtures and fittings**

**Additional fixtures and fittings** Nameplate,

## Other notices

---

**Technical documentation** None

**Last usage** Cosmetics

## Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)