



Article no.: M-2751

Product data:
**Behälter 1.500 Liter aus V2A, einwandig,
temperierbar, gebraucht,**

EUR 2.100,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 1.500 Liter aus V2A, einwandig, temperierbar, gebraucht consists of the material 1.4301(AISI304) V2A.
The volume is approx. 1,500 litres.

Behälter 1.500 Liter aus V2A, einwandig, temperierbar, gebraucht was last used in the following area:
Foodstuffs.

1 pieces of Behälter 1.500 Liter aus V2A, einwandig, temperierbar, gebraucht is/are currently still available.
Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4301(AISI304) V2A

Volume approx. 1,500 litres

Structure Hanging

DIN design unknown

Condition Used

Dimensions approx.

External diameter 1050 mm

Cyl. height 1900 mm

Total height 2800 mm

Design

Weight approx. 300 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Interior surface Smoothed

Exterior surface Smoothed

Floor type Torispherical bottom

Head design Torispherical bottom

Product chamber operating pressure Atmospheric/unpressurised

Equipment

Temperature-controllable No

Temperature control area Shell and floor area

Temperature control system Double shell

Agitator

Agitator quantity 1 (piece)

Agitator position Head off-centre

Agitator type Propeller

Agitator manufacturer Stelzer

Agitator - Voltage 220/380 V

Agitator - Output 0,85 kW

Agitator - RPM 940 UpM

Supports

Supports Bracket supports

Number of feet 2 (piece)

Fixtures and fittings

Mannloch 1 Größe 440 DN mm

Manway position In head
Outlet nozzle 65
Fixtures and fittings
Additional fixtures and fittings

Other notices

Technical documentation None

Note leichte Anhaftungen im Prod.raum

Last usage Foodstuffs

Pictures



| | | | | |
|-----------------------|--------|-----------|---------|-------|
| Erwin Stelzer Warburg | | Betr. Art | | 5.1 |
| Rührtechnik | | Isol. Kl. | | E |
| Mot. Typ | EDK 20 | Nr. | 32811 | IP 44 |
| 0.85 | kW | 940 | UpM | 90 Hz |
| 220/880 | V | Δ / Y | Schalt. | |
| 8.8/8.15 | A | 0.55 | cos φ | ← → |



Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)