

Article no.: M-2559



**Product data:**  
**Behälter 20.000 Liter aus V2A isoliert,  
temperierbar, gebraucht,  
Standing**

EUR 25.800,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 20.000 Liter aus V2A isoliert, temperierbar, gebraucht consists of the material 1.4301(AISI304) V2A. The volume is approx. 20,000 litres. The diameter inside includes 2200 mm.

Behälter 20.000 Liter aus V2A isoliert, temperierbar, gebraucht was last used in the following area: Foodstuffs.

1 pieces of Behälter 20.000 Liter aus V2A isoliert, temperierbar, gebraucht is/are currently still available.

Delivery can take place worldwide.

## Product description

### General

---

**Material in contact with product** 1.4301(AISI304) V2A

**Volume approx.** 20,000 litres

**Structure** Standing

**DIN design** unknown

**Year of manufacture** 1989

**Manufacturer** Thrun

**Condition** Used

## Dimensions approx.

---

**Internal diameter** 2200 mm  
**External diameter** 2360 mm  
**Cyl. height** 5260 mm  
**Total height** 7550 mm  
**Wall thickness of product chamber head** 2,50 mm  
**Wall thickness of product chamber shell** 2,50 mm  
**Wall thickness of product chamber floor** 2,50 mm

## Design

---

**Weight approx.** 2500 kg  
**Weight per unit volume approx.** 1000 kg/m<sup>3</sup>  
**Insulation** No  
**Insulated area** Shell and floor  
**Insulation cladding** Fully welded stainless steel  
**Interior surface** Smoothed  
**Exterior surface** Smoothed  
**Floor type** Conical bottom  
**Head design** Conical bottom  
**Product chamber operating pressure** Atmospheric/unpressurised

## Equipment

---

**Temperature-controllable** No  
**Temperature control area** Shell and floor area  
**Temperature control system** Double shell  
**Temperature control system operating temperature/pipe chamber** 100 °C  
**Temperature control system/pipe chamber capacity** 45 litres

## Agitator

---

**Agitator quantity** 1 (piece)  
**Agitator position** Head off-centre  
**Agitator type** Propeller

**Note on agitator** Welle bodengelagert  
**Agitator - Voltage** 380/660 V  
**Agitator - Output** 2,2 kW  
**Agitator - RPM** 1425/500 UpM

## Supports

---

**Supports** Stainless steel feet  
**Number of feet** 3 (piece)  
**Note on supports** höhenverstellbar

## Fixtures and fittings

---


**Mannloch 1 Größe** 400 DN mm  
**Manway position** In head  
**Outlet nozzle** 65  
**Cleaning/CIP nozzle** in head  
**Fixtures and fittings** Lifting lugs  
Sample taking  
**Additional fixtures and fittings** Air vent, Nameplate,

## Other notices

---

**Technical documentation** Designation  
**Comment on technical documentation** Rührwerksp. in der Zeichnung abweichend  
**Last usage** Foodstuffs

## Pictures







## Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)